2、本套图纸版权归筑博设计股份有限公司所有，如有复制做消重诉。
Copyright of this drawing is reserved by zhubo design Co., LTD. Contact us if you have any question.
3、不可按图纸（含CAD文件）直取尺寸，所有尺寸均须现场以设计图为准，私自修改不得使用，泄露、散布或复制本文件及资料。
Do not scale from drawing(including CAD files). All dimensions must be verified on site.Without discussion or duplication of any content in this document is allowed without prior consent.


35F
34（避难层）
避难阳台
消防避难空间
值室
办理值室
1A-1
1A-2
1A-4
1A-6
1A-8
1A-9
1A-11
1A-12
1A-14
1A-15
1A-16
1A-18
1A-20
1A-22
1A-24
1A-26
1A-27
1A-29
32600
3000 1950 1550 1850 200 1400 600 3200 600 2000 3000 1650 450 2300 2200 2300 4350
1A-AE
1A-AD
1A-AC
1A-AB
1A-AA
1A-Z
1A-Y
1A-X
1A-W
1A-V
1A-U
1A-T
1A-S
1A-R
1A-Q
1A-P
1A-N
1A-M
1A-L
1A-K
1A-J
1A-H
1A-G
1A-F
1A-E
1A-D
1A-C
1A-B
1A-A
3500 2700 8950 2500 2800 3900 950 2800 1100 300 900 3300 3600 900 2300 2900 1400 1650 3850
1850 1650 1100 2800 1600 1450 5650 950 1800 3550 200 1250 350 1700 1600 1900 3000
32400
2400 7200 2400 2400
2450 2850 7200 1900
2700 2500 8950 2800
消防避难空间 62.81m²
外窗有效可开启面积1.22m²
占消防避难空间地面面积1.4%
消防避难空间 98.05m²
外窗有效可开启面积1.18m²
占消防避难空间地面面积1.2%
消防避难空间 100.57m²
外窗有效可开启面积1.18m²
占消防避难空间地面面积1.1%
消防避难空间61.34m²
外窗有效可开启面积1.31m²
占消防避难空间地面面积1.6%
避难阳台
栏杆净高>1.1m
900高护窗栏杆
值室
6.98m²
4.70m²
1A-DT1
1A-DT2
1A-LT1
1A-DT3
1A-LT2
1A-DT4
1A-LT3
1A-DT5
1A-LT4
1A-DT6
1A-LT5
1A-DT7
1A-LT6
1A-DT8
1A-LT7
1A-DT9
1A-LT8
1A-DT10
1A-LT9
1A-DT11
1A-LT10
1A-DT12
1A-LT11
1A-DT13
1A-LT12
1A-DT14
1A-LT13
1A-DT15
1A-LT14
1A-DT16
1A-LT15
1A-DT17
1A-LT16
1A-DT18
1A-LT17
1A-DT19
1A-LT18
1A-DT20
1A-LT19
1A-DT21
1A-LT20